



CrewCooler™


HIGH CAPACITY AISLE AIR CIRCULATOR FAN

COOL WORKERS IN WAREHOUSE AISLES AND KEEP AIR CIRCULATING

Used in commercial and industrial applications like distribution centers, warehouses, manufacturing, poultry houses, and greenhouses, S&P USA Ventilation Systems' CrewCooler™ aisle air circulator fan can move large volumes of air at **low fan speeds and noise levels**. This high capacity belt driven propeller fan is AMCA-licensed for air and sound performance; and it is UL-listed in the U.S. and Canada.

Easy mounting for economical installation. Our fan can be suspended from the ceiling to direct large volumes of airflow toward workers in the aisles or in their work stations.

AIR CIRCULATION THROUGH WAREHOUSE AISLES



S&P USA Ventilation Systems' CrewCooler™ is an aisle circulator fan that keeps air circulating and employees cool in warehouse facilities.

AVAILABLE IN TWO SIZES

SIZE	MAX HP	CFM RANGE	MAX SP	AVG. SHIP WEIGHT (LBS)
24	1-1/2	2,256-9,774	5/8"	90
48	1-1/2	6,659-28,209	3/8"	125

FEATURES AND OPTIONS

Air Nozzle For Longer Air Throw
Hinged Rear Safety Guard
Wired Disconnect Switch

Angled Airflow Positioning Brackets
Precision Air Flow Direction
Fully Assembled, Ready to Mount

Disconnect Switches
Extended Lube Lines

Factory Wiring
Mounting Angles



TO ORDER OUR CREWCOOLER FAN
CALL OUR CUSTOMER SERVICE TEAM AT 1-800-961-7370



CrewCooler™


HIGH CAPACITY AISLE AIR CIRCULATOR FAN

COOL WORKERS IN WAREHOUSE AISLES AND KEEP AIR CIRCULATING

Used in commercial and industrial applications like distribution centers, warehouses, manufacturing, poultry houses, and greenhouses, S&P Canada Ventilation Products' CrewCooler™ aisle air circulator fan can move large volumes of air at **low fan speeds and noise levels**. This high capacity belt driven propeller fan is AMCA-licensed for air and sound performance; and it is UL-listed in the U.S. and Canada.

Easy mounting for economical installation. Our fan can be suspended from the ceiling to direct large volumes of airflow toward workers in the aisles or in their work stations.

AIR CIRCULATION THROUGH WAREHOUSE AISLES



S&P Canada Ventilation Products' CrewCooler™ is an aisle circulator fan that keeps air circulating and employees cool in warehouse facilities.

AVAILABLE IN TWO SIZES

SIZE	MAX HP	CFM RANGE	MAX SP	AVG. SHIP WEIGHT (LBS)
24	1-1/2	2,256-9,774	5/8"	90
48	1-1/2	6,659-28,209	3/8"	125

FEATURES AND OPTIONS

Air Nozzle For Longer Air Throw
Hinged Rear Safety Guard
Wired Disconnect Switch

Angled Airflow Positioning Brackets
Precision Air Flow Direction
Fully Assembled, Ready to Mount

Disconnect Switches
Extended Lube Lines

Factory Wiring
Mounting Angles



TO ORDER OUR CREWCOOLER FAN
CALL OUR CUSTOMER SERVICE TEAM AT 1-866-358-5346



CrewCooler™


VENTILATEUR DE CIRCULATION D'AIR À HAUTE CAPACITÉ POUR ALLÉES

DES EMPLOYÉS SYMPAS DANS LES ALLÉES DE L'ENTREPÔT ET UNE BONNE CIRCULATION DE L'AIR

Utilisé dans des applications commerciales et industrielles telles que les centres de distribution, les entrepôts, les usines de fabrication, les poulaillers et les serres, le ventilateur de circulation d'air pour allées CrewCooler™ de S&P Canada Ventilation Products peut déplacer de grands volumes d'air à faible vitesse et à faible niveau sonore. Ce ventilateur à hélice entraîné par courroie à haute capacité est homologué AMCA pour ses performances en matière d'air et de bruit, et il est homologué UL aux États-Unis et au Canada.

Facile à monter pour une installation économique. Notre ventilateur peut être suspendu au plafond pour diriger de grands volumes d'air vers les travailleurs dans les allées ou à leur poste de travail

CIRCULATION DE L'AIR DANS LES ALLÉES DE L'ENTREPÔT



Le CrewCooler™ de S&P Canada Ventilation Products est un ventilateur de circulation d'air qui assure la circulation de l'air et le confort des employés dans les entrepôts.

DISPONIBLE EN DEUX TAILLES

TAILLE	HP MAX	GAMME CFM	SP MAX	POIDS MOYEN DE L'ENVOI (LB)
24	1-1/2	2,256-9,774	5/8"	90
48	1-1/2	6,659-28,209	3/8"	125

CARACTÉRISTIQUES ET OPTIONS

Buse d'air pour une projection plus longue
Protection arrière rabattable
Interrupteur de déconnexion filaire

Supports de positionnement angulaire du flux d'air
Orientation précise du flux d'air

Entièrement assemblé, prêt à être monté
Interrupteurs de déconnexion
Conduites de lubrification prolongées

Câblage d'usine
Angles de montage



**POUR COMMANDER NOTRE VENTILATEUR CREWCOOLER
APPELEZ NOTRE SERVICE CLIENTÈLE AU 1-866-358-5346**